



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

Draft Policy Document For

INTERNATIONALIZED DOMAIN NAMES

Language: HINDI



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

RECORD OF CHANGES

***A - ADDED M - MODIFIED D - DELETED**

VERSION NUMBER	DATE	PAGES AFFECTED	A* M D	TITLE OR BRIEF DESCRIPTION	COMPLIANCE VERSION OF MAIN POLICY DOCUMENT
1.0	20/11/09	Whole Document	M	Language Specific Policy Document for HINDI	1.5
1.1	22/11/2010	Page No. 10, 17, 19	A, M	Restriction rule added, Variant Modified, ccTLD added	1.6
1.2	01/03/2013	All	M D	Modified character repertoire as per IDNA 2008	1.8



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

Table of Contents

1. AUGMENTED BACKUS-NAUR FORMALISM (ABNF)	4
1.1 Declaration of variables	4
1.2 ABNF Operators	4
1.3 The Vowel Sequence	4
1.4 Consonant Sequence	5
1.5 Sequence	7
1.6 ABNF Applied to the HINDI IDN	7
2. RESTRICTION RULES	10
3. EXAMPLES	12
4. LANGUAGE TABLE: HINDI	13
5. NOMENCLATRURAL DESCRIPTION TABLE OF HINDI LANGUAGE TABLE ...	14
6. VARIANT TABLE FOR HINDI.....	18
7. EXPERTISE/BODIES CONSULTED.....	19
8. PROPOSED ccTLD FOR HINDI.....	20



1. AUGMENTED BACKUS-NAUR FORMALISM (ABNF)

1.1 Declaration of variables

Dash	→ Hyphen -
Digit	→ Indo-Arabic digits [0-9]
C	→ Consonant
M	→ Matra
V	→ Vowel
D	→ Anusvara / Bindu
B	→ Chandrabindu / Anunasika
X	→ Visarga
Y	→ Avagraha
H	→ Halant / Virama
N	→ Nukta

1.2 ABNF Operators

S. No.	Symbols	Functions
1	"/"	Alternative
2	"["]	Optional
3	"*"	Variable Repetition
4	"(")"	Sequence Group

In what follows the Vowel Sequence and the Consonant Sequence pertinent to Hindi are given.

1.3 The Vowel Sequence

A vowel sequence is made up of a single vowel. It may be followed but not



necessarily (optionally) by an Anusvara (D), Chandrabindu (B) or a Visarga (X)
The number of D, B or X which can follow a V in Hindi may be restricted to one.
The possibility of a Visarga following a Chandrabindu or Anusvara is ruled out,
since it is used only in Vedic and in Bangla script.

The vowel sequence in Hindi is therefore V [D |B | X]

Examples :

Vowel	V	अ
Vowel + Anusvara	V[D]	अं
Vowel + Chandrabindu	V[B]	अँ
Vowel + Visarga	V[X]	अः

1.4 Consonant Sequence

A consonant sequence admits the following shapes:

1. A single consonant (C)

(The consonant in Hindi shall be treated as co-terminus with the Consonant along with the Nukta sign wherever such a case is pertinent.)

Example:

C क

C[N] क़

2. A consonant optionally followed by dependent vowel sign/Matra[M] or Anusvara[D] Chandrabindu[B] or visarga[X] or Halant [H]

C[M|D|X|H]

Example:

C[M] कि

C[D] कं

C[B] कँ

C[X] कः



C[H] क् (Pure Consonant)

2.a. A CM sequence can be optionally followed by D, B or X
(CM)[D|B|X]

Example:

CM[D] कीं

CM[B] काँ

CM[X] वीः

3. A sequence of consonants (up to 4) joined by Halant *3(CH)C

Example:

CHCHCHC न्त्रय न+क्+र+य

Subsets

3.a. The combination may be followed by M , D,B or X

Example:

CHC[M] क्की क्की

CHC[D] क्कं क्कं

CHC[B] क्कँ क्कँ

CHC[X] क्कः क्कः

3.b. *3(CH)CM may be followed by a D, B or X

Example:

CHCM[D] क्कीं क्कीं

CHCM[B] क्कीँ क्कीँ

CHCM[X] क्कीः क्कीः

The final canonical structure of the consonant sequence in IDN can be defined in ABNF as:



*3(C[N]H)C[N][H|D|B|X|M[D|B|X]]

It should be noted that in the case of Sanskrit the possible sequence could be:

*4(CH)C [H|D|B|X|M[D|B|X]]

as exemplified in the word:

कात्स्न्य

Although this is possible, it is not used in neo-Prakrits unless a potential client chooses it as a possible IDN.

1.5 Sequence

1. A sequence can be made up by Consonant-sequence or Vowel-sequence.

1.a A Consonant-sequence can optionally be followed by Avagraha[Y].

1.b A Vowel-sequence can optionally be followed by Avagraha[Y].

1.6 ABNF Applied to the HINDI IDN

The formalism can be applied to create/validate IDN labels. So a valid IDN label can be defined as follows.

Vowel-sequence → V [D | B | X]

Consonant-sequence → *3(C[N]H)C[N] [H|D|B|X|M[D|B|X]]

Sequence → consonant-sequence[Y] | vowel-sequence[Y]

IDN-label → (sequence | digit) * ([dash] (sequence | digit))



Additional Examples putting more light on ABNF

Below are some of the examples which will help a casual reader understand some of the rules ABNF puts in place. These are just given for reference purposes and are not meant to be comprehensive.

1. H | D|B|X |M cannot occur in the beginning of an IDN domain name

Example:

क्

ंक

ँक

ःक

िक

As can be seen they will result automatically in a “golu” marking an invalid character. This is an intrinsic property of the Indic syllable and is quasi automatically applied.

2. H is not permitted after V, D, B, X, M, digit and dash

Example:

अ्

कं्

कँ्

कः्

क्ि

1्

-्

3. Number of D, B or X permitted after consonant-sequence or vowel-sequence or M is restricted to one

Example



कं
कँ
कः
कीं
काँ
कीः
अं
अँ
अः

4. Number of M permitted after consonant-sequence is restricted to one

Example

कीी

5. M is not permitted after V

Example

ई

6. The combination of Anusvara+Visarga, chandrabindu+Anusvara, chandrabindu+visarga and vice-versa is not permissible

Example

कः

कँ

कँः



2. RESTRICTION RULES

The ABNF is generic in nature and when applied to a specific language/script certain restriction rules apply. In other words, in a given language some of the Formalism structures do not necessarily apply. To take care of such cases restriction rules are set in place. These restrictions will help to fine-tune the ABNF. In the case of Hindi the following rules apply:

1. Nukta shall be allowed after the following characters:

क (0915)

ख (0916)

ग (0917)

ज (091C)

ड (0921)

ढ (0922)

फ (092B)

2. A consonant sequence that is intended to end with Halant [H] can only be followed by Hyphen, digit or Avagraha [Y]. Thus following combinations are permissible.

क्-

क्1

क्ऽ

3. Consecutive hyphens will not be permitted in a domain name.
4. The number of identical consonants joined by a Halant within a label shall not exceed two. Thus त्त (ta+halant+ta) is permitted but not त्त्त (ta+halant+ta+halant+ta).



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

5. Wherever a variant is present in a given label, the variants shall be in a relationship of transitivity but the generation of the variant table shall be limited only to the relationship existing between the two variants. Thus given a variant त and त्त, the number of variants in label such as किताब shall be किताब. किताब generated by adding an extra त् to त्त shall not be permitted. This ensures that over generativity does not take place.
6. A label containing not more than three "akshara", which have got variants shall be permitted. As an example let us consider a, b, c and d as four aksharas in a given label having a', b', c' and d' as variants in which case such a label will be disallowed. (E.g. of disallowed label - abcd, acdb, cdaba and so on)



3. EXAMPLES

Combination	Example	Word With Combination
C	क	कर
CN(Required For Hindi)	ड़	पेड़
CH	म्	भारतम्
CM	ता	ताल
CD	गं	गंगा
CB	हँ	हँस
CX	तः	अतः
CMD	हिं	हिंदी
CMB	चाँ	चाँद
CMX	दुः	दुःख
CHC	व्य	काव्य
CHCHC	न्त्र	यन्त्रकार
V	आ	आज
VD	अं	अंग
VB	आँ	आँख



4. LANGUAGE TABLE: HINDI¹

0900

Devanagari

097F

	090	091	092	093	094	095	096	097
0	ॐ	ऐ	ठ	र	ी	ॐ	ऋ	०
	0910	0910	0920	0930	0940	0950	0960	0970
1	ँ	आँ	ड	र	ॊ	ँ	ल	ँ
	0901	0911	0921	0931	0941	0951	0961	0971
2	ं	ओ	ढ	ल	ो	ं	ॠ	ँ
	0902	0912	0922	0932	0942	0952	0962	0972
3	ः	ओ	ण	ळ	ौ	ॆ	ॠ	
	0903	0913	0923	0933	0943	0953	0963	
4	ॐ	औ	त	ळ	॑	ॆ	।	
	0904	0914	0924	0934	0944	0954	0964	
5	अ	क	थ	व	ँ		॥	
	0905	0915	0925	0935	0945		0965	
6	आ	ख	द	श	ॆ		०	
	0906	0916	0926	0936	0946		0966	
7	इ	ग	घ	ष	ॆ		१	
	0907	0917	0927	0937	0947		0967	
8	ई	घ	न	स	ॆ	क	र	
	0908	0918	0928	0938	0948	0958	0968	
9	उ	ड	न	ह	ॉ	ख	३	
	0909	0919	0929	0939	0949	0959	0969	
A	ऊ	च	प		ो	ग	४	
	090A	091A	092A		094A	095A	096A	
B	ऋ	ॠ	फ		ो	ज	५	ग
	090B	091B	092B		094B	095B	096B	097B
C	ॠ	ज	व	ॆ	ौ	ड	६	ज
	090C	091C	092C	093C	094C	095C	096C	097C
D	ँ	झ	भ	ऽ	ॆ	ढ	७	२
	090D	091D	092D	093D	094D	095D	096D	097D
E	ॐ	ज	म	ा		फ	८	ड
	090E	091E	092E	093E		095E	096E	097E
F	ए	ट	य	ि		य	९	ब
	090F	091F	092F	093F		095F	096F	097F

The Unicode Standard 5.1, Copyright © 1991-2008 Unicode, Inc. All rights reserved

65

¹ Characters marked in yellow are not applicable to the language.



5. NOMENCLATURAL DESCRIPTION TABLE OF HINDI LANGUAGE TABLE

Chandrabindu(B)		
0901	ँ	DEVANAGARI SIGN CANDRABINDU = anunasika
Anusvara (D)		
0902	ं	DEVANAGARI SIGN ANUSVARA = bindu
Visarga (X)		
0903	ः	DEVANAGARI SIGN VISARGA
Independent vowels (V)		
0905	अ	DEVANAGARI LETTER A
0906	आ	DEVANAGARI LETTER AA
0907	इ	DEVANAGARI LETTER I
0908	ई	DEVANAGARI LETTER II
0909	उ	DEVANAGARI LETTER U
090A	ऊ	DEVANAGARI LETTER UU
090B	ऋ	DEVANAGARI LETTER VOCALIC R
090D	ॠ	DEVANAGARI LETTER CANDRA E
090F	ए	DEVANAGARI LETTER E
0910	ऐ	DEVANAGARI LETTER AI
0911	ऑ	DEVANAGARI LETTER CANDRA O
0913	ओ	DEVANAGARI LETTER O
0914	औ	DEVANAGARI LETTER AU
Consonants (C)		



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

0915	क	DEVANAGARI LETTER KA
0916	ख	DEVANAGARI LETTER KHA
0917	ग	DEVANAGARI LETTER GA
0918	घ	DEVANAGARI LETTER GHA
0919	ङ	DEVANAGARI LETTER NGA
091A	च	DEVANAGARI LETTER CA
091B	छ	DEVANAGARI LETTER CHA
091C	ज	DEVANAGARI LETTER JA
091D	झ	DEVANAGARI LETTER JHA
091E	ञ	DEVANAGARI LETTER NYA
091F	ट	DEVANAGARI LETTER TTA
0920	ठ	DEVANAGARI LETTER TTHA
0921	ड	DEVANAGARI LETTER DDA
0922	ढ	DEVANAGARI LETTER DDHA
0923	ण	DEVANAGARI LETTER NNA
0924	त	DEVANAGARI LETTER TA
0925	थ	DEVANAGARI LETTER THA
0926	द	DEVANAGARI LETTER DA
0927	ध	DEVANAGARI LETTER DHA
0928	न	DEVANAGARI LETTER NA
092A	प	DEVANAGARI LETTER PA
092B	फ	DEVANAGARI LETTER PHA
092C	ब	DEVANAGARI LETTER BA



092D	भ	DEVANAGARI LETTER BHA
092E	म	DEVANAGARI LETTER MA
092F	य	DEVANAGARI LETTER YA
0930	र	DEVANAGARI LETTER RA
0932	ल	DEVANAGARI LETTER LA
0935	व	DEVANAGARI LETTER VA
0936	श	DEVANAGARI LETTER SHA
0937	ष	DEVANAGARI LETTER SSA
0938	स	DEVANAGARI LETTER SA
0939	ह	DEVANAGARI LETTER HA
Dependent vowel signs (Matras) (M)		
093E	ा	DEVANAGARI VOWEL SIGN AA
093F	ि	DEVANAGARI VOWEL SIGN I • stands to the left of the consonant
0940	ी	DEVANAGARI VOWEL SIGN II
0941	ु	DEVANAGARI VOWEL SIGN U
0942	ू	DEVANAGARI VOWEL SIGN UU
0943	ृ	DEVANAGARI VOWEL SIGN VOCALIC R
0945	ँ	DEVANAGARI VOWEL SIGN CANDRA E = candra
0947	े	DEVANAGARI VOWEL SIGN E
0948	ै	DEVANAGARI VOWEL SIGN AI
0949	ॉ	DEVANAGARI VOWEL SIGN CANDRA O
094B	ो	DEVANAGARI VOWEL SIGN O
094C	ौ	DEVANAGARI VOWEL SIGN AU



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

Halant (H)		
094D	◌्	DEVANAGARI SIGN VIRAMA = halant (the preferred Hindi name) • suppresses inherent vowel
Nukta (N)		
093C	◌ं	DEVANAGARI SIGN NUKTA
Avagraha (Y)		
093D	◌ः	DEVANAGARI SIGN AVAGRAHA



6. VARIANT TABLE FOR HINDI

VARIANTS		
द्र 0926+094D+0917	द्र 0926+094D+0930	द्र 0926+094D+0928
द्व 0926+094D+0927	द्व 0926+094D+0918	
ष्ट 0937+094D+091F	ष्ठ 0937+094D+0920	
श्व 0936+094D+0935	श्च 0936+094D+0930+094D+0935	
श्न 0936+094D+0928	श्ल 0936+094D+0930+094D+0928	
श्च 0936+094D+091A	श्च 0936+094D+0930+094D+091A	
श्न 0936+094D+0932	श्ल 0936+094D+0930+094D+0932	
त 0924+094D+0924	त 0924	
द्व 0926+094D+0935	द्व 0926+094D+092C	
ँ 0901	ँ 0945+0902	

Note : क्ष and श्ल normally not used in HINDI but are introduced since some browsers may display these shapes.



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

7. EXPERTISE/BODIES CONSULTED

Expertise provided by experts of Central Hindi Directorate & the late Shri R.K.Joshi at PRSG for IDN held at Delhi in 2006.



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

8. PROPOSED ccTLD FOR HINDI

India (Bhārat) localized in Hindi - भारत

Note : You can send your feedbacks to ids-feedback@cdac.in