



Draft Policy Document For

INTERNATIONALIZED DOMAIN NAMES

Language: NEPALI



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

RECORD OF CHANGES

*A - ADDED M - MODIFIED D - DELETED

VERSION NUMBER	DATE	PAGES AFFECTED	A* M D	TITLE OR BRIEF DESCRIPTION	COMPLIANCE VERSION OF MAIN POLICY DOCUMENT
1.0	20/11/09	Whole Document	M	Language Specific Policy Document for NEPALI	1.5
1.1	22/11/2010	Page No 9, 16, 19	A	Restriction rule added , Variant modified, ccTLD added	1.8



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

Table of Contents

1. AUGMENTED BACKUS-NAUR FORMALISM (ABNF)	4
1.1 Declaration of variables	4
1.2 ABNF Operators	4
1.3 The Vowel Sequence	4
1.4 Consonant Sequence	5
1.5 Sequence	7
1.6 ABNF Applied to the IDN	7
2. RESTRICTION RULES	10
3. EXAMPLES	12
5. NOMENCLATURAL DESCRIPTION TABLE OF NEPALI LANGUAGE TABLE	14
6. VARIANT TABLE FOR NEPALI	19
7. EXPERTISE/BODIES CONSULTED	20
8. PROPOSED ccTLD FOR NEPALI	21



1. AUGMENTED BACKUS-NAUR FORMALISM (ABNF)

1.1 Declaration of variables

Dash → Hyphen -

Digit → Indo-Arabic digits [0-9]

C → Consonant

M → Matra

V → Vowel

D → Anusvara / Bindu

B → Chandrabindu / Anunasika

X → Visarga

Y → Avagraha

H → Halant / Virama

1.2 ABNF Operators

S. No.	Symbols	Functions
1	“/”	Alternative
2	“[]”	Optional
3	“*”	Variable Repetition
4	“()”	Sequence Group

In what follows the Vowel Sequence and the Consonant Sequence pertinent to Nepali are given.

1.3 The Vowel Sequence

A vowel sequence is made up of a single vowel. It may be followed but not



necessarily (optionally) by an Anuswara (D), Chandrabindu (B) or a Visarga (X). The number of D, B or X which can follow a V in Nepali may be restricted to one. The possibility of a Visarga following a Chandrabindu or Anuswara is ruled out, since it is used only in Vedic and in Bangla script. The vowel sequence in Nepali is therefore V [D |B | X]

Examples:

V अ

V[D] अँ

V[B] अँ्

V[X] अँः

1.4 Consonant Sequence

A consonant sequence admits the following shapes:

1. A single consonant (C)

Example: क

2. A consonant optionally followed by dependent vowel sign[M] or anuswara[D] Chandrabindu[B] or visarga[X] or Halant [H]

C[M|D|B|X|H]

Example:

C[M] कि

C[D] कँ

C[B] कँ्

C[X] कँः

C[H] कँ (Pure Consonant)

2.a. A CM sequence can be optionally followed by D, B or X
(CM)[D|B|X]

Example:

CM[D] की

CM[B] काँ



CM[X] वीः

3. A sequence of consonants (up to 4) joined by Halant *3(CH)C
Example:

CHCHCHC न्क्य न+ङ+क्फ+ङ+र+ङ+य

Subsets

3.a. The combination may be followed by M , D,B or X

Example:

CHC[M]	ककी	क ् क ी
CHC[D]	ककं	क ् क ं
CHC[B]	ककँ	क ् क ँ
CHC[X]	ककः	क ् क ः

3.b. *3(CH)CM may be followed by a D, B or X

Example:

CHCM[D]	ककीं	क ् क ीं
CHCM[B]	ककीँ	क ् क ीँ
CHCM[X]	ककीः	क ् क ीः

The final canonical structure of the consonant sequence in IDN can be defined in ABNF as:

*3(CH)C[H|D|B|X]|M[D|B|X]]

It should be noted that in the case of Sanskrit the possible sequence could be:

*4(CH)C [H|D|B|X ||M[D|B|X]]

as exemplified in the word:

कात्स्न्य

Although this is possible, it is not used in neo-Prakrits unless a potential client chooses it as a possible IDN.



1.5 Sequence

1. A sequence can be made up by Consonant-sequence or Vowel-sequence.
 - 1.a A Consonant-sequence can optionally be followed by Avagraha[Y].
 - 1.b A Vowel-sequence can optionally be followed by Avagraha[Y].

1.6 ABNF Applied to the IDN

The formalism can be applied to create/validate IDN labels. So a valid IDN label can be defined as follows.

Vowel-sequence → V [D | B | X]

Consonant-sequence → *3(CH)C [H|D|B|X |M[D | B | X]]

Sequence → consonant-sequence[Y] | vowel-sequence[Y]

IDN-label → (sequence | digit) * ([dash] (sequence | digit))



Additional Examples putting more light on ABNF

Below are some of the examples which will help a casual reader understand some of the rules ABNF puts in place. These are just given for reference purposes and are not meant to be comprehensive.

1. H | D | B | X | M cannot occur in the beginning of an IDN domain name

Example:

ংক

ঁক

ঃক

ঠক

িক

As can be seen they will result automatically in a “golu” marking an invalid character. This is an intrinsic property of the Indic syllable and is quasi automatically applied.

2. H is not permitted after V, D, B, X, M, digit and dash

Example:

অ

কং

কঁ

কঃ

কি

১ং

-ং

3. Number of D,B or X permitted after consonant-sequence or vowel-sequence or M is restricted to one





Example:

कं०

कँ०

कः०

की०

काँ०

की०

अ०

अँ०

अः०

4. Number of M permitted after consonant-sequence is restricted to one.

Example:

की०

5. M is not permitted after V

Example:

ई०

6. The combination of Anusvara+Visarga, Chandrabindu+Anusvara, Chandrabindu+ Visarga and vice-versa is not permissible.

Example:

कं०

कँ०

कः०

2. RESTRICTION RULES

The ABNF is generic in nature and when applied to a specific language/script certain restriction rules apply. In other words, in a given language some of the Formalism structures do not necessarily apply. To take care of such cases restriction rules are set in place. These restrictions will help to fine-tune the ABNF.

In the case of Nepali the following rules apply:

1. Consonant र(0931) alone shall not be permitted in domain name. It must necessarily be followed by character sequence HC in which following two combinations are possible.

CHC र्य रङ् य u+0931 u+094D u+092F

CHC र्ह रङ् ह u+0931 u+094D u+0939

Following combinations still remain applicable though.

CHCH, CHCD, CHCB, CHCX, CHCM, CHCMD, CHCMB, CHCMX

2. A consonant sequence that is intended to end with Halant [H] can only be followed by Hyphen, digit or Avagraha [Y]. Thus following combinations are permissible.

क्-

क्१

क्८

3. Consecutive hyphens will not be permitted in a domain name.
4. The number of identical consonants joined by a Halant within a label shall not exceed two. Thus त (ta+halant+ta) is permitted but not त्त (ta+halant+ta+halant+ta).
5. Wherever a variant is present in a given label, the variants shall be in a relationship of transitivity but the generation of the variant table shall be limited only to the relationship existing between the two variants. Thus given a variant त



and त्, the number of variants in label such as किताब shall be कित्ताब. कित्ताब generated by adding an extra त् to त् shall not be permitted. This ensures that over generativity does not take place.

6. A label containing not more than three "akshara", which have got variants shall be permitted. As an example let us consider a, b, c and d as four aksharas in a given label having a', b', c' and d' as variants in which case such a label will be disallowed. (E.g. of disallowed label - abcd, acdb, cdaba and so on)



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

3. EXAMPLES

Combination	Example	Word With Combination
C	च	चमक
CH	म्	अहम्
CM	दा	उदार
CD	सं	संग
CB	सँ	सँग
CX	नः	पुनः
CMD	सिं	सिंहासन
CMB	चाँ	चाँप
CMX	दुः	दुःखद
CHC	व्य	व्यतित
CHCHC	न्त्र	यन्त्रकार
V	आ	आज
VD	अं	अंश
VB	आँ	आँखै
VX	ईः	कटाईः



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

4. LANGUAGE TABLE: NEPALI¹

0900

Devanagari

097F

	090	091	092	093	094	095	096	097
0	ऐ	ठ	र	ी	ॐ	॥	०	
1	ौ	आ॑	ड	र	॒	े	॒	
2	॒	ओ॑	ढ	ल	॒	॒	॒	अ॑
3	॒	ओ॑	ण	ङ	॒	॒	॒	
4	ओ॑	औ॑	त	ळ	॒	॒	।	
5	अ॑	क	थ	व	॒		॥	
6	आ॑	ख	द	श	ै		०	
7	॒	ग	ध	ष	ै		॑	
8	॒	घ	न	स	ै	ऋ		
9	उ॑	ड	न॑	ह॑	ा॑	ख॑	॑	
A	ऊ॑	च॑	प॑		ो॑	ग॑	॑	
B	ऋ॑	छ॑	फ॑		ो॑	ज॑	॑	्
C	ळ॑	ज॑	ब॑	॒	ौ॑	ञ॑	॑	ञ॑
D	ए॑	ङ॑	भ॑	॑	॒	॑	॑	॑
E	ऐ॑	ज॑	म॑	॒		फ॑	॑	ञ॑
F	ए॑	ट॑	य॑	॒		॑	॑	ञ॑

Nepali

The Unicode Standard 5.1, Copyright © 1991-2008 Unicode, Inc. All rights reserved.

65

¹ Characters marked in yellow are not applicable to the language.



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

5. NOMENCLATURAL DESCRIPTION TABLE OF NEPALI LANGUAGE TABLE

Chandrabindu/Anunasika (B)		
0901	ঁ	DEVANAGARI SIGN CANDRABINDU = anunasika
Anusvara/Bindu (D)		
902	ং	DEVANAGARI SIGN ANUSVARA = bindi
Visarga (X)		
0903	ঃ	DEVANAGARI SIGN VISARGA
Independent vowels (V)		
0905	অ	DEVANAGARI LETTER A
0906	আ	DEVANAGARI LETTER AA
0907	ই	DEVANAGARI LETTER I
0908	ঈ	DEVANAGARI LETTER II
0909	উ	DEVANAGARI LETTER U
090A	ঊ	DEVANAGARI LETTER UU
090B	ঋ	DEVANAGARI LETTER VOCALIC R
090F	঄	DEVANAGARI LETTER E
0910	ঃ঄	DEVANAGARI LETTER AI



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

0913	ओ	DEVANAGARI LETTER O
0914	औ	DEVANAGARI LETTER AU

Consonants (C)

0915	क	DEVANAGARI LETTER KA
0916	ख	DEVANAGARI LETTER KHA
0917	ग	DEVANAGARI LETTER GA
0918	ঘ	DEVANAGARI LETTER GHA
0919	ঙ	DEVANAGARI LETTER NGA
091A	চ	DEVANAGARI LETTER CA
091B	ছ	DEVANAGARI LETTER CHA
091C	জ	DEVANAGARI LETTER JA
091D	ঝ	DEVANAGARI LETTER JHA
091E	ঞ	DEVANAGARI LETTER NYA
091F	ট	DEVANAGARI LETTER TTA
0920	ঠ	DEVANAGARI LETTER TTHA
0921	ড	DEVANAGARI LETTER DDA



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

0922	द	DEVANAGARI LETTER DDHA
0923	ण	DEVANAGARI LETTER NNA
0924	त	DEVANAGARI LETTER TA
0925	थ	DEVANAGARI LETTER THA
0926	द	DEVANAGARI LETTER DA
0927	ध	DEVANAGARI LETTER DHA
0928	न	DEVANAGARI LETTER NA
092A	प	DEVANAGARI LETTER PA
092B	फ	DEVANAGARI LETTER PHA
092C	ब	DEVANAGARI LETTER BA
092D	भ	DEVANAGARI LETTER BHA
092E	म	DEVANAGARI LETTER MA
092F	य	DEVANAGARI LETTER YA
0930	र	DEVANAGARI LETTER RA
0931	ऱ	DEVANAGARI LETTER RRA • half form is represented as Eyelash RA.
0932	ल	DEVANAGARI LETTER LA



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

0935	वा	DEVANAGARI LETTER VA
0936	शा	DEVANAGARI LETTER SHA
0937	ष्णा	DEVANAGARI LETTER SSA
0938	सा	DEVANAGARI LETTER SA
0939	हा	DEVANAGARI LETTER HA
Dependent vowel signs (Matras)(M)		
093E	ॐ	DEVANAGARI VOWEL SIGN AA
093F	ं	DEVANAGARI VOWEL SIGN I • stands to the left of the consonant
0940	॒	DEVANAGARI VOWEL SIGN II
0941	ऽ	DEVANAGARI VOWEL SIGN U
0942	ऽ्	DEVANAGARI VOWEL SIGN UU
0943	ऽ	DEVANAGARI VOWEL SIGN VOCALIC R
0947	ঁ	DEVANAGARI VOWEL SIGN E
0948	ঁ্ৰ	DEVANAGARI VOWEL SIGN AI
094B	ঁো	DEVANAGARI VOWEL SIGN O
094C	ঁৌ	DEVANAGARI VOWEL SIGN AU
Various signs: Halant (H)		



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

094D	Q	DEVANAGARI SIGN VIRAMA = halant (the preferred name) • suppresses inherent vowel
Avagraha (Y)		
093D	S	DEVANAGARI SIGN AVAGRAHA



Department of Information Technology,
Ministry of Communications and Information Technology,
Government of India, New Delhi

6. VARIANT TABLE FOR NEPALI

VARIANTS		
द्र 0926+094D+0917	द्र 0926+094D+0930	द्र 0926+094D+0928
द्व 0926+094D+0927		द्व 0926+094D+0918
ष 0937+094D+091F		ष 0937+094D+0920
श 0936+094D+0935		श्व 0936+094D+0930+094D+0935
ऋ 0936+094D+0928		ऋन 0936+094D+0930+094D+0928
ऋच 0936+094D+091A		ऋच 0936+094D+0930+094D+091A
ऋल 0936+094D+0932		ऋल 0936+094D+0930+094D+0932
त 0924+094D+0924		त 0924
द्व 0926+094D+0935		द्व 0926+094D+092C
ञ्य 0931+ 094D+092F		-ञ्य 002D+092F
ञ्ह 0931+094D+0939		-હ 002D+0939



7. EXPERTISE/BODIES CONSULTED

Expertise provided through the script grammar of Nepali provided by Dr G S Nepal Head Department of Nepali. North Bengal Academy and further approved by Nepali Academy. The layout was further ratified at PRSG's held in New Delhi as well as in Pune.



8. PROPOSED ccTLD FOR NEPALI

India (Bhārat) localized in Nepali - भारत

Note: You can send your feedbacks to idn-feedback@cdac.in